


DEAN
S.S.MEDICAL COLLEGE, REWA



TENDER FOR SPORTS & GYM EQUIPMENTS

Tender Year 2014-15

Rs- 1000/-
(Rs. One Thousand Only)

OFFICE OF THE DEAN S.S.MEDICAL COLLEGE REWA(M.P.)

TENDER FOR SPORTS & GYM EQUIPMENTS

No. / Pur. Sec / Tender / 2014 –15 Rewa , Dated
Tender will be sold up to - 30-09-2014 - at 5.00 PM
Tender to be submitted up to - 13-10-2014 - at 5.00 PM
Tenders will be opened on - 14-10-2014 - at 12.30 PM

TERMS & CONDITIONS

Tenders are invited for financial year 2014 – 2015 for supply of GYM EQUIPMENTS.

| Sr.No. | Items Group / Category | Security Deposit | Tender Form Cost |
|---------------|-------------------------------|-------------------------|-------------------------|
| 1. | SPORTS & GYM EQUIPMENTS | 75,000/- | 1,000/- |

- 1) These tenders are for the financial year 2014 – 2015 effective up to 31st March 2015.
- 2) Tenderer should be either manufacturer of products or authorized distributor of manufacturer Company.
- 3) Tender received after schedule of date & time will be rejected.
- 4) The details of envelops are as follows:-
Envelop "A" for Earnest Money
Envelop "B" for Technical Bid
Envelop "C" for Price Bid (Hard copy & Soft copy)

Note : Envelope B ; Technical Bid should contain documents as per check list enclosed.

All three envelop A, B and C should be separately sealed and all the three sealed envelop shall be kept in an outer envelop and this should reach to office of the Dean S.S. Medical College, Rewa on or before 13-10-2014 5:00 P.M. Tenders will be opened in the conference hall of SSMC Rewa at 12.30 P.M. on 14-10-2014 in the presence of the present tenderers or their representatives.

- 5) A - The rate should be quoted in the list of item accompanying the tender Form maintaining same serial number as per our list, failing this tenders may be rejected.
B - The rate will also have to be quoted in soft copy in a C.D. Specifically Supplied along with the tender documents. Both the hard and soft copies will be kept in the envelope C.
- 6) Rates to be quoted inclusive of Excise Duty, Transportation, Installation, Insurance and any incidental charge/ Tax on F.O.R. destination basis (Dean S.S. Medical College, Rewa) Should be quoted for each of the items. VAT charge extra as per Govt. rules. No any other charge will be paid separately on quoted rates. There should be no overwriting in the Rates

quoted. The rate quoted in price column should be for the unit and specification given. The tenderer is strictly prohibited to change / alter specification or unit size quoted. Keep original price (hard and soft copy) in cover "C". Each page must have signature and rubber stamp.

- 7) Tenderers are required to submit security deposit as given in form of fixed deposit receipt of any bank recognized by RBI payables at Rewa, in the name of the Dean S.S. Medical College, Rewa Failing which the tender will be rejected. Those who are exempted from Deposited security are required to submit a certificate from the competent authority. No. interest will be paid on the security deposited.
- 8) Tenderer must agree to abide by all the terms and conditions of the tender, Any default or breach of contract or supply of goods not conforming to the standards shall render the tender to be rejected / cancelled and forfeiture of Earnest money, the tenderer must sign with rubber stamp on every page of the tender, all page must be numbered.
- 9) The tenderer will be required to submit a Declaration that he has not quoted lower rate than that of quoted in this tender in any institution or organization in M. P. (Annexure II)
- 10) Notarized undertaking to the effect that no dues of arrears of central or state taxes are outstanding against the manufacturing company will have to be submitted along with tender form (Annexure III)
- 11) Tenders of firm / manufactures will be rejected if the same is black listed by any competent authority or is involved in any criminal proceeding pertaining to manufacture, supply or due to any dispute pending before any court or legal forum. A undertaking of negativity of the above shall have to be provided by the tenderers (Annexure IV)
- 12) GYM EQUIPMENTS supplied must conform to the specification mentioned in the price list .
- 13) **Amendment of Bidding Documents – Conditional Bids Will Not Be Accepted.**
- 14) **(A)** All purchase will be made by competent authority as per store purchase rules of the State Govt and their order issued from time to time. Any order issued by higher authority will be followed. Recommendation of the purchase committee of the College will be followed.
(B) Invitation of tender does not mean any commitment to make purchases of all or any item. Listed in the tender. Material will be purchase after permission form Madhaya Pradesh Govt. and when material is not supply by Madhya Pradesh Laghu Udyog Nigam of M. P. Govt.
- 15) Government policy to encourage scheduled castes and Scheduled tribes entrepreneurs will be followed as per rules of the state Govt. Tenderer must attach relevant document in support of the same along with registration of the firm with District Vyapar Udyog Kendra or any such state authorized body.
- 16) Supplies of GYM EQUIPMENTS will have to be F.O.R. College Store. No extra charges will be paid for local freight etc. In case of any breakage, theft or any loss to the goods during transit the responsibility of the loss will be of supplying firm. Financial loss if any will be recovered accordingly.
- 17) All supplies will have to be made within 45 days from the date of supply order. In case the firm fails to comply with the order. The order will stand cancelled. The Dean S.S. Medical

College will be empowered to make purchases from the next firm other firm or local market. The deference in the rates will be recovered from E.M.D. or bills of the first approved firm.

- 18) All supplies should be made by approved firms only.
- 19) Any claim for hike in prices of the commodities covered in the tender will not be allowed during the tender period.
- 20) Payment will be made by bank draft/ banker cheque/E-Payment. Bank commission there of will be born from the amount of the bill. No. advance payment will be made. VAT will be deducted at source.
- 21) The Dean S.S. Medical College, Rewa reserves the right to accept or reject any or all tenders without assigning any reason thereof in public interest. The tendering authority also reserves the right to make any addition or alteration in the terms and condition of the contract.
- 22) For any legal recourse the judicial jurisdiction will courts in Rewa. The contract shall be Governed by the laws of India.

Note: Technical bid should be opened on 14-10-2014 at 12:30 PM in presence of purchase committee and present tenderer or their authorized representative. Tenders list (i.e. price bid) are opened only those tenderer who are qualified in technical bid. At the time of opening of price list, information should be given to that tenderer separately.

Dean & CEO

S.S. Medical College, Rewa (M. P.)

Check List

(List of Document enclosed with Tender from)

| S.No. | Documents | (Marked by Tenderer (√/x) | (By Purchase Commmittee (√/x) |
|-------|---|---------------------------|-------------------------------|
| 1. | Detail of Earnest Money / FDR . No.....Dated..... For Rs..... | | |
| 2. | Forwarding Letter in Given format | | |
| 3. | Seal & Signature in all terms & Conditions | | |
| 4. | Registration of TIN No. & Sales Tax | | |
| 5. | Sales Tax & Vat Tax Clearance Certificate. | | |

| | | | |
|-----|--|--|--|
| 6. | Photocopy of PAN Card | | |
| 7. | Copy of ITR For the A.Y: 2013-14 | | |
| 8. | Affidavit by notary regarding Undertaking of no dues of Sales Tax & Income Tax | | |
| 9. | Authorization letter from Manufacturer for Authorized Distributor | | |
| 10. | Original Tender (Soft & Hard Copy Cover – C) | | |

Note : Put up Serial Number in all documents and attach as per schedule given above and check List should be attached in front of all Documents.

Remark of Purchase Committee.....
.....

Annexure – I
Specimen of forwarding letter

From,

.....
.....

To,

The Dean
S.S.Medical College, Rewa (M.P)

Sir,

I am submitting tender for the financial year 2014-2015 for purchase of good quality of GYM EQUIPMENTS to the S.S.Medical College, Rewa. As invited wide letter No..... Date2014 and published innews paper. I accept all the terms and condition given in tender, I have not added any terms & condition.

Signature of Tenderer

Enclosures

- | | |
|-----|-----|
| 1. | 2. |
| 3. | 4. |
| 5. | 6. |
| 7. | 8. |
| 9. | 10. |
| 11. | 12. |
| 13. | 14. |
| 15. | |

Declaration

1. I/We are citizen of India
2. I/We are competent to contract as per Indian Contract act.
3. I/We are not debarred for supply of GYM EQUIPMENTS by any Institution/office of M.P. state.
4. I/We will be responsible for losses made for supply of poor quality of GYM EQUIPMENTS.
3. I have not added any terms & condition other than given in this tender ,even if any Terms and condition are added than it should be treated as cancelled,
4. I/We have not quoted lower rate than that of quoted in this tender in any office Institution or ganization in the state of M.P.

Date :- / /2014

E-Mail Address:

Phone No :

Mobile No.:

Specimen of Declaration / Undertaking
(To be Submitted in the letter head)

Signature of Tender

Name :

Address :

DECLARATION (Annexure - II)

We.....(Name of manufacturing agency/ Authorized Dealer) having its registered office at.....(full address) .declare that we have not quoted lower rates than that of quoted in this tender in any institution in Madhya Pradesh.

Signature
Rubber stamp

UNDERTAKING (Annexure – III)

We.....(Name of manufacturing agency/ Authorized Dealer) having its registered office at.....(full address) undertake that we have submitted up to date return and had no dues of central and state taxes.

Signature
Rubber stamp

UNDERTAKING (Annexure – IV)

We.....(Name of manufacturing agency/ Authorized Dealer) having its registered office at.....(full address) undertake that our firm has neither been black listed by any competent authority nor any criminal proceeding pertaining to manufacture supply. Qquality of manufacturing items or due to any dispute pending before any court or legal forum .

Signature
Rubber stamp

Information of Manufacturing Agency

Registered Name

Address Factory

 Office

Telephone Number

 Factory

 Office

 Mobile Number

 Fax

Email Address

Bank Name, Account Number & IFSC

TIN

PAN

CST Number

MPST/VAT

LST Number

Service Tax Number

Information of Authorized Dealer / Stockiest

Registered Name

Address

Telephone Number

 Office.

 Fax .

 Cell.

Email Address

Bank Account Number

Branch

IFS Code of Bank

TIN

PAN

CST Number

MPST/VAT

LST Number

Service Tax Number

| S.No. | Name of GYM Equipments | Specification |
|-------|---|---|
| 1. | Commercial Motorized Treadmill (2.7 HP) | Motor : 2.7 HP duty DC Motor Display : 3 LED w / LED LAP with Time, Distance, Calories, Pulse, Lap, Pace, Speed, Scan 4 Speed Bar : 4, 8, 12, 16kph. Speed: 0.8 ~ 16 kph Incline : 10% Incline : 3 ranges manual Manual folding. Running size: 430 x 1320 mm (17"x52") Program : 1 manual, 5 presetting in 3 level intensity Safety key and Hand pulse Shock absorber Wheels for easy Transport Max. user weight : 120 kgs |
| 2. | Commercial Treadmill (5 HP) | Motor Power: 5.0 HP AC (Continuous) 10.0 HP AC (Peak) Speed : 1 to 22 Km/Hr Incline: 0-22% Decline: -3% Running Belt : 23.2" x 62" User Weight : Up to 180 Kgs Machine weight : 275 Kg for stability 6 LED Window, Minimum 10 preset programs, minimum 12 interactive HRC Prog, minimum 3 manual Prog, minimum 6 user defined prog, Handle Pulse, Body Fat Function, Quick Speed and Incline Buttons on Console, 6 – Pieces elastic cushions, Cooling fan, MP3 Socket & 2 built-in Speakers, Thickening Running Belt with comfortable cushions. |
| 3. | Indoor Table Tennis (TT) Table | Indoor TT Table, the thickness of the top of this TT table is 19 mm , laminated frame size 25 x 38 mm. 2 wheels with lock and 6 without lock. The wheel size is around 75 mm. The size of Indoor TT Table 2740 x 1525 x 760 mm |
| 4. | 16 Station Multi GYM Machine | Dimensions; 30" (L) x 30" (W) x 7" (H) Frame Structure; Combination Of high tensile strength steel, continuous welded factory assembled weight frame. Name of tube; Oval Tubing. Tube Size; 100 mm x 50 mm tube Gauge; 3.0 mm weight stack; 200x 4= 800 lbs weight plates ; PVC weight plates for noiseless work out. Weight stack Enclosure; Fiber protective weight enclosure. Weight Guide Rods; 25 mm chrome plated solid steel, Highly polished for smooth movements. Weight selector pin; 10 mm steel pin. Adjustment; Adjustable of seats, Back rests and pads are meets all user requirements. Pull pins; must adjustment secured with commercial grade spring loaded pull pins. Cable; 5.0 mm Dia, 4200 lbs rated Commercial grade Nylon Coated Air Craft cables. Pulley ; Maintenance from fiber glass reinforced nylon pulleys fitted with premium grade – a quality roller bearings with V grooved channel. Pulley Sizes; 115 mm Grips; High density foam rubber hand grips. Cushioning; 02" high density top resilient foam. Finishing; proprietary to coat powder process. Rust proof; All frames Structures Electro Statically powder coated to ensure Maximum Corrosion and chip Resistance. Color; Ash Grey. |

| | | |
|-----|-------------------------------------|--|
| 5. | Lat Pull Down Machine - 100 Kgs | 59"(L) x 47"(W)x74"(H), all frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 6. | Bench Pree (Flat, Incline, Decline) | Dimensions: 82.5" (L) x 47.5" (W) x 57.8" (H). Frame: 11 gauge steel, oval tubing, Spotter stand All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 7. | Leg Pree - 120 Kgs | 81" (L) x 48" (W) x74"(H), weight plates-200 lbs. all frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 8. | Commercial Elliptical Cross Trainer | Dimension-84" (L)x30" (W)x69" (H), Strides- 20 inches naturals strides, Max watt-300 watts, Resistance level- 16 levels, Resistance system-electromagnetic resistance, Power-6.0 volts DC adapter for self power convenience, Programs-16 programs-Manual, polling , valley , fat burn, ramp, mountain, random, body fat, target HR, 60% HRC, 75% HRC, user setting -04 Nos. Drive system; centre design drive, super silent poly-V belt driven. Fly wheel: 9 Kg precision balanced. Pedals: Self balancing, close spacing, enlarge, impacting absorbing, fit to any size user and provides gentle movements to reduced lower body stress. Centre of Gravity: Low COG combined with a balanced frame prevents rocking. Cardio Monitor: In-built metallic pulse sensor provided with T style handle grips enables to the cardio monitoring on board.Display: LCD display, computerized console. Display feedback: Multi feedback read out instantly displays time, distance, RPM, calories, speed pulse, watt, BMR, and BMI. Mode/Set Option: Time, distance, Calories, age and program can be set as per user requirements. User Weight: 120 Kgs. Transportation: Transportation wheels for easy movement. Accessory Holder: Mobile phone and book holder. Speaker: In-built high fidelity speaker for iPod and MP3 connectivity. Rating: Commercial, Step-up Height: 11Inches easy step-up height. Strides Wheel: Fiber glass reinforced nylon wheel with high quality bearing. Crank Assembly: Three Pieces crank assembly. Frame Structure: Arched support frame for maximum durability and stability. Frame Finishing: Proprietary two coat powder process. Rust Proof: All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 9. | Leg Curl Extension | Weight Stack: 250 Lbs Mainframe: 11 gauge 2" x 4" oval tubing,39"W x 49" L x 62" H Cables: Aircraft cables steel nylon coated 5mm dia Rust proof, electro statically applied powder coated finish High density foam upholstery |
| 10. | Adjustable Abdominal Board | 68" (L) x 26" (W)x 40" (H), All frames structures electro statically powder coated to ensure |

| | | |
|-----|----------------------------------|---|
| | | maximum corrosion and chip resistance. |
| 11. | Adjustable Squat Stand | Size 67" (L) X 72" (W) X 80" (H), Built in Olympic weight plates storage. All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 12. | Shoulder Pree | Size 53" (L) X 54" (W) X 67" (H), Weight Plates: 200 lbs, Unique handle design permits grip changes to isolate the deltoid muscles. All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 13. | Weight Plates (20 Kgs each) | Colour Rubber Coated with steel ring, High quality |
| 14. | Weight Plates (10 Kgs each) | Colour Rubber Coated with steel ring, High quality |
| 15. | Weight Plates (5 Kgs each) | Colour Rubber Coated with steel ring, High quality. |
| 16. | Weight Plates (2.5 Kgs each) | Colour Rubber Coated with steel ring, High quality. |
| 17. | Barbell Rods Small Size | Olympic Zig Zag Rod 3 feet. Electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 18. | Barbell Rods Big Size (Wt.Lt.) | Olympic Zig Zag Rod 7 feet. Electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 19. | Dumbell 20 Kgs Each | Tear proof, soundless and bouncy effect Encased in rubber Six-sided design Chrome Dumbbells with rubber head |
| 20. | Dumbell 10 Kgs Each | Tear proof, soundless and bouncy effect Encased in rubber Six-sided design Chrome Dumbbells with rubber head |
| 21. | Dumbell 5 Kgs Each | Tear proof, soundless and bouncy effect -Encased in rubber -Six-sided design Chrome Dumbbells with rubber head |
| 22. | Dumbell 3 Kgs Each | Tear proof, soundless and bouncy effect Encased in rubber Six-sided design Chrome Dumbbells with rubber head |
| 23. | Dumbell Rack (Two Layer) | All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance |
| 24. | Plate Rack | High Quality Lether and sponge, add shining powder on the surface, twice paint for Gym Equipments and fitness Equipments and strength training machine. |
| 25. | Weights Rack | Imported. All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. |
| 26. | Digital Weighing Scale (Machine) | |
| 27. | Push Up Bar | |
| 28. | Seated Chest Press | |
| 29. | Wrist Curl | |
| 30. | Bicep Curl | |
| 31. | Exercise Bike | 8 different level of magnetic resistance Dual Movement - Hands & Legs exercise movement |

| | | |
|-----|---|---|
| | | Single Window display (Time, Distance, Speed, Calories) Recommended maximum user weight: 220 lbs. |
| 32. | Aerobic Stepper | Total-body workout, Non- Slip surface, High-tech materials used, Provides safety, security & stability to the user Innovative & Convenient to use, Length-90/97 x W36 x H25cm |
| 33. | Spiral Pasted Volleyball | Microfiber composite premium dimpled leather covered ball |
| 34. | Badminton Racket | Carbon graphite and titanium body and shaft |
| 35. | Badminton Yellow Nylon Shuttle Set (6pcs) | Light weight with good quality nylon |
| 36. | Foot Ball | Made of polyurethane material., Light weight., Meets FIFA specifications., Offers abrasive resistance., Water resistant. fitted with latex bladder. |